



First Aid Policy St Thomas of Canterbury School

Date of Policy Update:	March 2023
Date Approved by GB:	March 2023
Date for Next Review:	March 2024

Aims:

The aim of this policy is to set out guidelines for all staff in school in the administering of First Aid to children, employees or visitors.

This policy shall be shared with all employees during their induction to ensure they are familiar with the school's first aid procedures.

The Governors are committed to the Local Authority's procedure for reporting accidents and recognize their statutory duty to comply with the Reporting of injuries, diseases and dangerous occurrences regulations 1995.

What is first aid?

First aid can save lives and prevent minor injuries becoming major ones. Under health and safety legislation employers have to ensure that there are adequate and appropriate equipment and facilities for providing first aid in the workplace.

First aid and medication

At least one member of staff with current first aid training is on the premises at any one time. The first aid qualification includes first aid training for infants and young children.

The school currently has 28 emergency first aiders with valid certificates. Posters displaying the names and locations of first aiders are on display around the school.

Our First Aid Kits:

- Comply with the Health and Safety (First Aid) Regulations 1981 and British Standard
 BS 8599-1:2011;
- Include assorted plasters, disposable sterile triangular bandages, eye pads, mediumsized dressings, large-sized dressings, sterile cleansing wipes, nitrile powder-free gloves, first aid in an emergency booklet, safety pins, resusci aide, Tuff-Kut scissors, Burnshield dressing or cling film, finger dressings, conforming bandages, disposable heat retaining blanket, microporous tape and disposable tweezers.
- Are regularly checked. Class teachers and support staff are responsible for maintaining the kits in their individual rooms. These are checked and restocked regularly.
- Are re-stocked as necessary;
- · Are easily accessible to adults; and
- Are kept out of the reach of children

Accident books:

- Accident books on the school premises. These are kept safely but accessible to first aiders.
- The accident books currently in use will be kept in the medical room and in each keystage area, in the cupboards near the fridges.
- · All first aid trained staff know how to complete them.

Our accident books keep a record of any first-aid treatment given by first aiders and other members of staff. These accident books MUST be written in pen, completed on the same day of the incident, and include:

- The date, time and place of the incident.
- The name of the injured or ill person.
- Details of the injury or illness and first-aid given.
- What happened to the person immediately afterwards (for example, whether they went home, went back to class, or went to hospital).

The information in the accident books can:

- Help the school identify accident trends and possible areas for improvement in the control of health and safety risks;
- Be used for reference in future first-aid need assessments;
- Be helpful for insurance and investigative purposes.

All completed accident books should be given to the School Business Manager, who will store them for reference in future.

Ofsted requirement to notify parents and the Data Protection Act

Parents must be informed of any accidents, injuries sustained and/or first aid treatment given to their child whilst in school. The first-aider who treated the injury will be the person who contacts the parent to inform them of what happened and recommend next steps, this is usually just through the accident form unless the first aider is at all concerned. In this instance the first aider would arrange for the parents to be contacted by telephone.

Administration of Medicines at St Thomas of Canterbury Catholic Primary School

This applies to all pupils, including those who do not have an individual health care plan.

Medicines will be safely stored in a locked cupboard. A written record will be kept and stored in the medical room. This will include date, time, dosage and name of the member of staff who administers the medicine.

- Any parent can request that their child is given prescription medicine in school. St Thomas of Canterbury School will only accept medicine that has been prescribed by a GP or hospital doctor or dentist.
- If a medical professional has advised a parent to give painkillers for a specific injury or ailment then a short-term health care plan should be written specifically for that child at that time. Once the child has recovered then the medication should be collected by their parent.
- If medicines (including asthma inhalers) are to be administered in school the parents must complete and sign an agreement form which must be handed into a member of the office team before any medication can be administered.
- It is preferable that pupils take medicine at home, before or after the school day. Parents are encouraged to ask their GPs for medical prescriptions that fit around the school day.
- No pupil will be given medicine without parental consent unless there is a clear and dire emergency and that ambulance/emergency personnel are in attendance.
- Prescribed medicines must be in date, prescribed by a GP, hospital doctor or dentist and provided in the original container with dosage instructions.
- Parents are responsible for renewing the school supply of medicines and making sure they are in date.
- At the end of the school year in July the school will return all medicines in store to the parents.
- The school will not be held responsible for any side-effects due to the correct administration of prescribed drugs
- If the administration of prescribed medication requires medical knowledge, individual training will be provided for the relevant member of staff by a health care professional.

<u>Arrangements for children who are competent to manage their own medicine in school</u>

A child who has been prescribed a medicine may be responsible enough to carry and administer drugs or medical testing equipment e.g. blood sugar testing kit. The school will consult with parents and relevant school staff about the advisability of an individual child or young person taking responsibility for their own treatment. The decision in cases of dispute will rest with the Head of School who has a duty to ensure the safety of all children and young people.

Medical Emergencies at St Thomas of Canterbury Catholic Primary School

All members of staff who have contact with pupils who have medical conditions will be informed about the best course of action if a child becomes seriously ill and needs emergency treatment.

The child and the parents will be informed about the school's arrangements and there will be details in the plan if appropriate.

The school will call an ambulance before contacting parents if a child becomes seriously ill – this applies to all children and not only those with health care plans. The school will arrange for a competent member of staff to travel to hospital in an ambulance and act in loco parentis until the parents arrive. The member of staff in loco parentis will have the right to sanction emergency procedures as advised by medical staff in the ambulance or at the hospital.

Sickness

Our policy for the exclusion of ill or infectious children is discussed with parents. This includes procedures for contacting parents – or other authorised adults – if a child becomes ill while in the school.

- We do not provide care for children, who are unwell, e.g. have a temperature, or sickness and diarrhoea, or who have an infectious disease.
- Children with head lice are not excluded, but must be treated to remedy the condition.
- Parents are notified if there is a case of head lice in the school.
- HIV (Human Immunodeficiency Virus) may affect children or families attending the school. Staff may or may not be informed about it.
- Children or families are not excluded because of HIV status.
- Good hygiene practice concerning the clearing of any spilled bodily fluids is carried out at all times by the Health and Safety Coordinator and the First Aiders.

Treatment of injuries

Following an accident, the First Aider is to take charge of the first aid administration/emergency treatment commensurate with their training. Following their assessment of the injured person, they are to administer appropriate first aid and make a balanced judgement as to whether there is a requirement to call an ambulance.

The First Aider should call an ambulance on the following occasions:

- In the event of a significant injury or head injury
- If bleeding cannot be controlled
- In the event of a period of unconsciousness
- Whenever a fracture or break is suspected
- · Whenever the first aider is unsure of the severity of the injuries.

<u>Treatment of head injuries to children</u>

Children often fall and bang themselves, and thankfully most bangs to the head are harmless events and can be dealt with by the supervising adult by applying a cold compress (wet tissue or cloth) for the child's own comfort.

Parents/Carers must be contacted if the child has a visible or grazed bump to the head.

All head bumps must be recorded into the accident book and a head bump note sent home informing parents of possible symptoms to look out for. It is the responsibility of the first aider dealing with the head bump to inform the office. Head bump notifications will be texted to parents electronically so the school can be sure the parent receives the information.

Under no circumstances, should **frozen ice packs** be applied to head bumps. It will reduce swelling but it can actually do more harm if there is a hairline fracture that could result in the child needing additional emergency hospital treatment. Instead a cool pack (stored in the fridge) should be applied within 5-10 minutes of the injury occurring.

Emergency First Aiders should be sought if the child:

- becomes unconscious;
- · is vomiting or shows signs of drowsiness;
- has a persistent headache:
- complains of blurred or double vision;
- is bleeding from the nose or ear; and/or
- has pale yellow fluid from the nose or ear.

If any of the above symptoms occurs in a child who has had a bang to the head, urgent medical attention is needed. Parents should be contacted and the emergency services too.

In the event of an accident in which the child cannot stand up unaided, he/she should be left in the position that he/she was found (even if this is in the toilets or playground) so long as it is safe to do so and the emergency first aider must be called immediately to assess the situation.

<u>Treatment of suspected breaks/fractures</u>

The seven things to look for are:

- 1. Swelling
- 2. Difficulty moving
- 3. Movement in an unnatural direction
- 4. A limb that looks shorter, twisted or bent
- 5. A grating noise or feeling
- 6. Loss of strength
- 7. Shock
- If it is an open fracture, cover the wound with a sterile dressing and secure it with a bandage. Apply pressure around the wound to control any bleeding.
- Support the injured body part to stop it from moving. This should ease any pain and prevent any further damage.
- Once you've done this, call 999 or 112 for medical help. While waiting for help to arrive, don't move the injured person unless they're in immediate danger.

Keep checking the casualty for signs of shock.

First Aid training states that clothing should only be removed if absolutely necessary. Where clothing needs to be removed which could cause a safeguarding issue then two members of staff should be present. Only one needs to be first aid trained. However, if waiting for a second member of staff puts a child's life in danger then the first aider should not withhold treatment.

Disposing of blood

Blooded items should be placed in the yellow clinical waste bags and disposed of in the sanitary bin in the female staff toilets.

Splinters

Splinters can be removed if they are small and you can see the angle it went in but not if they are embedded or in a joint. They must be extracted in the same direction they went in. Sterile single-use tweezers are stored in the medical room.

Ice Packs

Instant ice packs are single-use only and for the treatment of sprains, strains and bruises and must be kept out of children's reach. These are stored in the medical room. Reusable packs are kept in fridges and must be cleaned after each use.

Guidance on the use of ice packs: Ideally an ice pack should be applied within 5 -10 minutes of the injury occurring. The pack must be wrapped in a cloth to prevent cold burns and applied to the injured area for 20 - 30 minutes and repeated every 2 to 3 hours for the next 24 – 48 hours. Emergency first aiders must check the colour of the skin after 5 minutes of applying the pack. If the skin is bright red or pink, remove the pack.

With injuries older than 48 hours, a heat source can be applied to bring more blood to the injured area to stimulate the healing process.

Do not use ice or heat -

- If the casualty is diabetic
- Over areas of skin that are in poor condition
- Over areas of skin with poor sensation to heat or cold
- Areas with known poor circulation
- In the presence of visible or know infection(s)

Asthma

We have several children at St Thomas of Canterbury School with Asthma. All inhalers are labelled and kept in the classrooms. In the event of an attack, the inhaler must be taken to the child.

All inhalers should accompany children when they are off the school grounds e.g. on a trip, swimming, visiting another school, etc. Children on the asthma register who have parental consent for the use of the emergency inhaler are clearly indicated. An emergency inhaler can be used if the child's prescribed inhaler is not available (for example, because it is broken, or empty).

Always seek the advice/attention of a qualified first aider in the event of an asthma attack.

Epi-Pens

All Epi-Pens are labelled and kept in the cupboard in the medical room.

All staff are first aid trained and some include Anaphylaxis and Epi Pen training. These include senior leaders, first aiders and the staff working with children who currently have an epi pen.

Anyone can administer an Epi-Pen in an emergency if the adult/child is unable to do it themselves. Should a member of staff, who has not had the training have to do this, then the emergency services must be informed at the same time as the Epi-Pen is administered.

From 1 October 2017 the Human Medicines (Amendment) Regulations 2017 will allow all schools to buy adrenaline auto-injector (AAI) devices without a prescription, for emergency use in children who are at risk of anaphylaxis but their own device is not available or not working (e.g. because it is broken, or out of-date).

The school's spare AAI should only be used on pupils known to be at risk of anaphylaxis, for whom both medical authorisation and written parental consent for use of the spare AAI has been provided.

Not currently applicable as we do not have a spare AAI in school.

Automated External Defibrillator (AED)

The school has one Automated External Defibrillator (AED) located in the PPA room. An AED is designed for use by all members of the general public and those with associated training.

Training

A central record of all training related to first aid is held by the Designated Safeguarding Lead and reviewed annually to ensure that certificates are renewed within timescales. This information is stored on the Single Central Record.